

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 05/27/2015

Page 1 of 6

Freeze Plug Seal

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Freeze Plug Seal

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: Freeze Plug Seal

Recommended uses of the product and restrictions on use: Water based sealer for Engine Freeze Plugs

Manufacturer Details:

Taber Products, Inc.
215 Main Street
Henrietta, MO 64036
816-494-5565

Supplier Details:

Taber Products, Inc.
215 Main Street
Henrietta, MO 64036
816-494-5565

Emergency telephone number:

Taber Products, Inc. 800-280-9903

SECTION 2: Hazards identification

Classification of the substance or mixture:



Irritant

Eye irritation, category 2A
Skin irritation, category 2

Eye irritation Cat. 2A, H319

Skin irritation Cat. 2, H315

Signal word: Warning

Hazard statements:

Causes serious eye irritation.

Causes skin irritation.

Precautionary statements:

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

If eye irritation persists get medical advice/attention.

IF ON SKIN: Wash with soap and water.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3


Effective date: 05/27/2015

Page 2 of 6

Freeze Plug Seal

Other Non-GHS Classification:

WHMIS
NFPA/HMIS



NFPA SCALE (0-4)

Health	1
Flammability	1
Physical Hazard	0
Personal Protection	X

HMIS RATINGS (0-4)

SECTION 3: Composition/information on ingredients

Ingredients:		
CAS 1333-86-4	Carbon Black	1-5 %
CAS 141-43-5	Ethanolamine	<1 %
CAS 12174-11-7	Quartz	<1 %
CAS 111-76-2	Ethylene glycol monobutyl ether	<1 %
CAS 126-86-3	2,4,7,9-tetramethyldec-5-yne-4,7-diol	<1 %

Percentages are by weight

SECTION 4: First aid measures

Description of first aid measures

After inhalation: Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Loosen clothing and place exposed in a comfortable position. Seek medical assistance if cough or other symptoms appear.

After skin contact: Wash hands and exposed skin with soap and plenty of water. Seek medical attention if irritation persists or if concerned.

After eye contact: Protect unexposed eye. Flush exposed eye gently using water for 15-20 minutes. Remove contact lenses while rinsing. Keep eyelids open while rinsing. Seek medical attention.

After swallowing: Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately seek medical attention.

Most important symptoms and effects, both acute and delayed:

Irritation, shortness of breath, headache, nausea, dizziness.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents: Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 05/27/2015

Page 3 of 6

Freeze Plug Seal

For safety reasons unsuitable extinguishing agents: None identified.

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

Advice for firefighters:

Protective equipment: Wear protective eyewear, gloves, and clothing. Refer to Section 8. Wear self-contained respiratory protective device. Wear fully protective suit.

Additional information (precautions): Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Always obey local regulations. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Containerize for disposal. Refer to Section 13. Keep in suitable closed containers for disposal. Wear protective eyewear, gloves, and clothing. Refer to Section 8.

Reference to other sections:

SECTION 7: Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection



Control Parameters:

No applicable occupational exposure limits

Appropriate Engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Respiratory protection:

Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 05/27/2015

Page 4 of 6

Freeze Plug Seal

- Protection of skin:** Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.
- Eye protection:** Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye protection.
- General hygienic measures:** Perform routine housekeeping. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Before re-wearing, wash contaminated clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state/color):	Viscous blue-black liquid	Explosion limit lower: Explosion limit upper:	Not determined Not determined
Odor:	Characteristic of Latex Resin	Vapor pressure:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	9.0-10.0	Relative density:	1.02-1.06
Melting/Freezing point:	Not determined	Solubilities:	Soluble in water
Boiling point/Boiling range:	Not determined	Partition coefficient (n-octanol/water):	Not determined
Flash point (open cup):	>300F (149C)	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid/gaseous):	Not applicable	Viscosity:	Not determined

SECTION 10: Stability and reactivity

- Reactivity:** Nonreactive under normal conditions.
- Chemical stability:** Stable under normal conditions.
- Possible hazardous reactions:** None under normal processing.
- Conditions to avoid:** Incompatible materials.
- Incompatible materials:** No information available.
- Hazardous decomposition products:** May produce carbon monoxide upon combustion.

SECTION 11: Toxicological information

Acute Toxicity: No additional information.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 05/27/2015

Page 5 of 6

Freeze Plug Seal

Chronic Toxicity: No additional information.	
Corrosion Irritation: No additional information.	
Sensitization:	No additional information.
Single Target Organ (STOT):	No additional information.
Numerical Measures:	No additional information.
Carcinogenicity:	When Partials are free and airborne: 2B - Group 2B: Possibly carcinogenic to humans (Carbon back) 2B - Group 2B: Possibly carcinogenic to humans (Quartz)
Mutagenicity:	No additional information.
Reproductive Toxicity:	No additional information.

SECTION 12: Ecological information

Eco toxicity: No information available.

Persistence and degradability: No information available.

Bio accumulative potential: No information available.

Mobility in soil: No information available.

Other adverse effects: No information available.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14: Transport information

UN-Number

Not Regulated.

UN proper shipping name

Not Regulated.

Transport hazard class(es)

Packing group: Not

Regulated.**Environmental hazard:**

Transport in bulk:

Special precautions for user:

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 05/27/2015

Page 6 of 6

Freeze Plug Seal

Acute

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer:

1333-86-4 Carbon black (airborne, unbound particles of reparable size)

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 1%):

1333-86-4 Carbon Black

141-43-5 Ethanolamine

111-76-2 Ethylene glycol monobutyl ether

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

Abbreviations and acronyms:

Effective date: 01.31.2015

Last updated: 05.26.2015